

SAFETY DATA SHEET Loxeal 55-03

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Loxeal 55-03

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Adhesive. Sealant.

1.3. Details of the supplier of the safety data sheet

Supplier Loxeal s.r.l.

Via Marconato 2 Cesano Maderno 20811 (MB)

Italia

Tel: +39 0362 529 301 Fax +39 0362 524 225 info@loxeal.com

1.4. Emergency telephone number

National emergency telephone CHEMTREC UK: +(44)-870-8200418

number CHEMTREC US: 800-424-9300

CHEMTREC Australia: +(61)-290372994 CHEMTREC New Zealand: +(64)-98010034

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

2.2. Label elements

Hazard statements EUH208 Contains tert-AMYL HYDROPEROXIDE. May produce an allergic reaction.

Supplemental label

information

EUH210 Safety data sheet available on request.

2.3. Other hazards

None under normal conditions.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

levels of disclosure.

Loxeal 55-03

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation Move the exposed person to fresh air. Get medical attention if any discomfort continues.

Ingestion Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Never

give anything by mouth to an unconscious person. Get medical attention.

Skin contact Wash skin thoroughly with soap and water. Remove contaminated clothing. If symptoms

develop, obtain medical attention

Eye contact Remove any contact lenses and open eyelids wide apart. Rinse immediately with plenty of

water. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort

continues.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact Prolonged contact may cause redness, irritation and dry skin.

Eve contact May cause temporary eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations. Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Foam, carbon dioxide or dry powder.

Unsuitable extinguishing

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion

products

media

Thermal decomposition could produce carbon monoxide, carbon dioxide, and unidentified

organic compounds. Burning produces irritating, toxic and obnoxious fumes.

5.3. Advice for firefighters

Special protective equipment Wear self contained breathing apparatus and protective clothing.

for firefighters

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Environmental precautions Avoid discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Absorb spillage with sand or other inert absorbent. Transfer to suitable, labelled containers for

disposal.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Avoid contact with skin and eyes. Do not eat, drink or smoke when using this product.

Loxeal 55-03

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Never return

unused material to storage receptacle.

7.3. Specific end use(s)

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Ingredient commentsNo exposure limits known for ingredient(s).

tert-AMYL HYDROPEROXIDE (CAS: 3425-61-4)

DNEL Workers - Inhalation; Long term systemic effects: 0.78 mg/m³

Workers - Dermal; Long term systemic effects: 0.44 mg/kg

PNEC - Fresh water; 0.012 mg/l

- Marine water; 0.0012 mg/l - Intermittent release; 0.012 mg/l

- STP; 3.3 mg/l

Sediment (Freshwater); 0.4374 mg/kgSediment (Marinewater); 0.0437 mg/kg

- Soil; 0.0804 mg/kg

8.2. Exposure controls

Protective equipment







Appropriate engineering controls

Normal (mechanical) room ventilation should be adequate for small volumes. For higher volume activities, or if needed for worker comfort, local mechanical exhaust should be provided.

Eye/face protection

The following protection should be worn: Chemical splash goggles or face shield. Personal eye protection should conform to EN 166

Hand protection

Nitrile rubber or Viton™ gloves are recommended. Cotton or other absorbent gloves should not be worn. Gloves should conform to EN 374. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material.

Other skin and body

protection

Uniforms, coveralls, or a lab coat should be worn

Hygiene measures Wash at the end of each work shift and before eating, smoking and using the toilet. Use

appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke. Use

of good industrial hygiene practices is required.

Respiratory protection Not normally required.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance Liquid.

Colour Blue.

Odour threshold Not determined.

Loxeal 55-03

pH Not relevant.

Melting point Not available.

Initial boiling point and range Not applicable.

Flash point >100°C

Evaporation rate Not determined.

Vapour pressure Not available.

Vapour density Not available.

Relative density 1.1

Solubility(ies) Insoluble in water. Soluble in the following materials: Organic solvents.

Partition coefficient Not determined.

Auto-ignition temperature Not determined.

Decomposition Temperature Not determined.

Viscosity ≈2250 mPa s @ 25°C

Explosive properties Not determined.

Oxidising properties Not applicable.

9.2. Other information

Other information Not relevant.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity The following materials may react with the product: Strong oxidising agents.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

products

No specific material or group of materials is likely to react with the product to produce a

hazardous situation.

10.4. Conditions to avoid

Conditions to avoid Avoid heat, flames and other sources of ignition.

10.5. Incompatible materials

Materials to avoid Strong acids. Strong alkalis. Strong oxidising agents. Strong reducing agents.

10.6. Hazardous decomposition products

Hazardous decomposition Thermal decomposition could produce carbon monoxide, carbon dioxide, and unidentified

organic compounds.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects The toxicological properties of this product have not been fully evaluated. Avoid direct contact

with skin or eyes. Do not ingest or inhale.

Aspiration hazard

Loxeal 55-03

Aspiration hazard Based on available data the classification criteria are not met.

Inhalation Unlikely to be hazardous by inhalation because of the low vapour pressure of the product at

ambient temperature.

Ingestion No harmful effects expected from quantities likely to be ingested by accident.

Skin contact Repeated exposure may cause skin dryness or cracking.

Eye contact May cause temporary eye irritation.

Toxicological information on ingredients.

tert-AMYL HYDROPEROXIDE

Acute toxicity - oral

Acute toxicity oral (LD₅o

mg/kg)

582.0

Species Rat

Acute toxicity - dermal

Acute toxicity dermal (LD50 446.0

mg/kg)

Species Rat

Acute toxicity - inhalation

Acute toxicity inhalation 2.425

(LC₅₀ vapours mg/l)

Species Rat

Skin corrosion/irritation

Skin corrosion/irritation Causes burns.

Serious eye damage/irritation

Serious eye Causes serious eye damage.

damage/irritation

Skin sensitisation

Skin sensitisation No information available.

Germ cell mutagenicity

Genotoxicity - in vitro Ames test: Positive.

Genotoxicity - in vivo No information available.

Carcinogenicity

Carcinogenicity No information available.

Reproductive toxicity

Reproductive toxicity - - NOAEL 100 mg/kg/day, Oral, Rat P

fertility

Specific target organ toxicity - single exposure

STOT - single exposure No information available.

Specific target organ toxicity - repeated exposure

Loxeal 55-03

STOT - repeated exposure No information available.

Aspiration hazard

Aspiration hazard No data available.

SECTION 12: Ecological Information

Ecotoxicity Not regarded as dangerous for the environment.

12.1. Toxicity

Toxicity No data available.

Ecological information on ingredients.

tert-AMYL HYDROPEROXIDE

Acute aquatic toxicity

Acute toxicity - aquatic

invertebrates

EC₅₀, 48 hours: 6.7 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

EC₅₀, 72 hours: 1.2 mg/l, Pseudokirchneriella subcapitata

Acute toxicity - microorganisms

EC₅₀, 3 hours: 138 mg/l, Activated sludge

12.2. Persistence and degradability

Persistence and degradability No data available.

Ecological information on ingredients.

tert-AMYL HYDROPEROXIDE

Biodegradation Water - 0%: 7 days

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient Not determined.

12.4. Mobility in soil

Mobility The product is insoluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Waste disposal should be in accordance with existing Community, National and local

regulations Empty containers may contain product residue; follow SDS and label warnings

even after they have been emptied.

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority.

Loxeal 55-03

Waste class 08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

Not applicable.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not relevant.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not relevant.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009

No. 716).

EU legislation Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16

December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation,

Authorisation and Restriction of Chemicals (REACH)

Guidance Workplace Exposure Limits EH40.

CHIP for everyone HSG228.

Approved Classification and Labelling Guide (Sixth edition) L131.

Safety Data Sheets for Substances and Preparations.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Revision date 30/05/2018

Revision 7

Loxeal 55-03

Supersedes date 05/03/2018

Hazard statements in full EUH208 Contains tert-AMYL HYDROPEROXIDE. May produce an allergic reaction.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.